




Weather Resistant
Bullet Cameras with
PIR Sensor &
White LEDs



CVC5100BPVF	2.8 - 12mm auto Iris varifocal lens, grey housing
CVC5100BPVFW	2.8 - 12mm auto Iris varifocal lens, white housing
CVC5200BPVF	5 - 50mm auto Iris varifocal lens, grey housing
CVC5200BPVFW	5 - 50mm auto Iris varifocal lens, white housing



Features


- 1/3" Sony Super-Had II™ CCD
- 24 IR LEDs & 6 White LEDs
- 600 TV lines resolution
- Digital Image stabilization
- 12VDC / 24VAC dual voltage operation
- Day & Night
- 5 year warranty

Specifications

Image Sensor	1/3" Sony Super-HAD III™ CCD
Resolution	600 TV lines
Minimum Illumination	CDS off: 0.15 lux CDS on: 0.00002 lux
IR Range	Up To 65'
White Balance	ATW / Outdoor / Indoor / Manual AWC (1,700°K - 11,000°K)
Gain Control	High / Low / Off
Backlight Compensation	BLC / HLC / Off
S/N Ratio	More than 52dB
Video Output	CVBS: 1.0Vp-p / 75 Ohm
Effective Pixels	811 (H) x 508 (V) 768 (H) x 494 (V)
Electronic Shutter Speed	1/60 sec. - 1/120,000 sec.
Sharpness	On / Off (level adjustable)
Privacy Masking	On / Off (12 programmable zones)
Scanning Frequency	15.734kHz (H) & 59.94Hz (V)
Scanning System	2:1 Interlace
Synchronization	Internal
TV System	NTSC, PAL
Day & Night	Color / BW / Auto
Sense-Up	Auto / Off (selectable x2 - x512)
Motion Detection	On / Off (8 programmable zones)
Digital Zoom	On / Off (1x - 16x)

DIS	On / Off
Flip/Mirror	On / Off
SSDR	On / Off (level adjustable)
SSNR III (Digital Noise Reduction)	On / Off (level adjustable)
Power Consumption	12VDC, 250mA (CDS off, PIR off) 600mA (CDS on, PIR on) Heater on adj: 200 - 600mA 24VAC 100mA (CDS off, PIR off), 250mA (CDS on, PIR on) Heater on adj: 120 - 250mA
Power Supply	12VDC / 24VAC (dual voltage) (power supply not included)
Operating Temperature/ Humidity	14° F - 122° F / RH 95% Max.
Storage Temperature/ Humidity	-4° F - 140° F / RH 95% Max.
Dimensions	3.5" (W) x 4" (H) x 8.7" (L)
Weight	3.5 lbs.

Optional Accessories



Speco Technologies is constantly developing and improving products.
We reserve the right to modify product design and specifications without notice and without incurring any obligation.

Rev. 1/24/12

For more information contact Speco Technologies
200 New Highway, Amityville, NY 11701 • Toll Free: 1-800-645-5516 • Fax: 631-957-9142 or 631-957-3880
www.specotech.com